

## RESTORATION OF TREE CROPS

This is what we call the restoration of tree crops by Apex10 to KGV-Apex10 from our successful tests across Ghana in about 4 major cultivated regions Bono, Ahafo, Asante and Eastern Region, indicating that 'Apex10 has no limits for tree crop restorations in Ghana. The link I shared represents several cashew farms and its results from young growth stages to old cashews. Soon I will be sharing some Seedlings videos too since we are also in the testing stages.

Our first tests were not carried out by our best researchers from the Ghana Ministry of Agriculture and so we have now charged our best plant as well as the agricultural extension agents who are working on the new seed tests on cashews to share. soon and give you the best guidance on how to apply and grow seedling stages / best practices.

Apex10 has been recommended and allied here for the past 6 months twice to three times every four weeks for the past six months. After that we recommend a minimum of single spray once every four weeks Maximum of twice Spraying every four(4) weeks.

After doing this continuously for six months, we can now prepare. Once every four weeks of Spraying and nothing less than that or twice every four(4) weeks.

The dosage of Apex10 for the restoration of tree crops is emerging

120 ml of Apex10 in a 16L or 19L napsack

Mix the water at the edge of the napsack

Add water with a clean stick without debris

Stir in chuckle to make sure Apex10 has completely saturated in water

The solution and the content of the solution for the measurements will be the same for machine blowers and manual blowers

The only difference between the two will be spent on each harvest

For blowers, we advise farmers / machine operators to spend at least 10 seconds on cashew trees that are less than this year

Cashews less than a year old

Duration for spraying 10 seconds

Cashews under 3 years old

Duration 15 to 20 seconds

Cashew trees aged 3 to 6 years



## Duration for Spraying

20 seconds to 30 seconds

Cashews 6 years old and over depending on the size of the tree or tree we spend,

Spray durations

30 seconds to 40 seconds

Younger cultures and drag on for ages

1 year to about 7 years old how to process is less,

Spray tree / cashew tree about 1X or once a week

Duration for Spraying about 30 seconds to 40 seconds

Trees grow old and cannot suffer from fruit, nor fondle each other for flowers or flowers that fall or cross off flowers, but do not turn into fruit

Spray Apex10 orce a weekend same dose at 120 ml in a 16L or 19L napsack either machine or manually blowing

Spray once a week for 30 seconds to 40 seconds on each tree plant

Keep folding back until you start to see the changes in the plants

Normally a farmer will start to live and undergo changes in the first three weeks that are not earlier

We have exhausted these guidelines for up to 6 months, when tree cultures are fully reconstituted to become self-supporting by a larger immune system and resistant to any attack.

After six months of treatment and following directions given to farmers, it is advisable to now apply Apex10 to tree crops once every four weeks

Once every four weeks the plants are fully restored

Farmers will be able to harvest during the six month treatment period if you follow such protocols provided by KGV-Apex10.

Yes, we will encourage farmers to keep Apex10 by guidelines

We also encourage and advise farmers to continue to enforce Apex10 as requested to take advantage of continuous successive harvest seasons.

Once again, it is paramount and beyond extremely necessary for all farmers to apply their fertilizer choices to their cashew trees while using Apex10

Apex10 is a compliment to all fertilizers and never a suspense, they must be used together

Apex10 improved any fertilizer being organic or inorganic Apex10 compliments it and improves its efficiency

Apex10 is a fertilizer booster and not a fertilizer or fertilizer replacement

Apex10 is more of a booster and compliment to fertilizer

Save the farmer a lot of money

Apex10 will reduce fertilizer use by 50% and in one step it will replenish the soil of any harsh chemicals in any fertilizer by gradually cutting the fertilizer uses in half

A farmer is advised to constantly use Apex10 to help bend soils as a permanent healer of harsh chemicals used in soils

Farmers will start to see mushrooms decline drastically on their farms

Second, there will also be a huge presence of snails on their farms.

All of these are indicators of healing and refolding of soils from previous unforeseen practices stemming from many ill-advised practices and harmful uses of chemicals for short-term satisfaction and costly long-term suffering.

How to apply it on tree crops

First make sure that the roots and bottom of each crop do not have additional leaves or objects that can prevent Apex10 from reaching the roots directly

Spray directly on crops

Mainly roots.

Strains

Branches

Do not spray the leaves or intentionally target the leaves

We don't want Apex10 on any part of the farm, other than plants, stems and branches

Reason being the weeds of Apex10, they will also grow beautifully and become beautiful expensive nuisance that we don't want

For neck blowers

Plants less than one year old and one year old



Tel: +1(609)227-8043 / 0552505723 / 0558764634

E-mail: [info@apex10africa.com](mailto:info@apex10africa.com)

Website: [www.apex10africa.com](http://www.apex10africa.com)

---

## Spray duration

15 seconds to 20 seconds

One year to 2 years

Duration

20 seconds to 30 seconds

3 years to 7 years

Spray time is 30-40 seconds

Plants diseases younger or not at the same time fruit or defatted

Duration 40 seconds to 50 seconds

Older cultures are turning away from fruit paste to prematurely falling flowers

Duration of 40 seconds to 60 seconds average.

Seed courses.

Apex10 with cashew seeds first day as "treatment to increase immunity and stimulate the taste of growth and intelligent thinking of the roots of crops which vertically follow the ground as to the horizontal, to increase the nutrient content in plants, potassium for cup and turgidity and less dependence on water since the roots now travel vertically vertically due to the fulvicic acid in Apex10 making plants intelligent and the roots are not everywhere like parasites

Seeds should be sprayed once or twice a week.

The dosage for seeds is 120ML to a 16L or 19L napsack for machine blowers and manual blowers.

We advise not to use other fertilizers besides Apex10 during the sowing course.

Fertilizers are too harsh and aggressive on the seeds which destroy many seeds before transplanting. When applying fertilizers, add fertilizers during transplanting courses only not seed courses. Crop restoration in cash.

Hope the above information helps. I am at your disposal if you have any further questions

This video you are watching, Cashew 3 is about 4 years old and was barely fruit, it will bare the flowers and everything will eventually peel off the fruit, until Apex10 was applied about 4 months ago.



**KING GLOBAL VENTURES, LLC**  
Drive, Willingboro, NJ 08046  
609-227-8043 | 609-346-2180 | [info@apex10africa.com](mailto:info@apex10africa.com)

